

Table of Contents

Corrosion, Vol. 34, 1978

January

Editorial: Chemical Stability in the Enlightenment of the Automobile	
R. W. Staehle Back of Masthead	
Monitoring Corrosion and Oxidation Potentials in a Boiling Water Reactor	
M. E. Indig, J. E. Weber, and A. D. Miller	3
The Correlation Between Oxidation and Stress Corrosion Cracking of U-4.5 Wt% Nb	
Nicholas J. Magnani and Paul H. Holloway	7
Corrosivity of Wet Process Phosphoric Acid	
T. Sydberger and S. Nordin	16
The Influence of Carburization on the Mechanical Properties of Wrought Nickel Alloys	
D. E. Wenschhof and J. A. Harris	23
The Role of Molybdenum as an Inhibitor of Localized Corrosion on Iron in Chloride Solutions	
J. R. Ambrose	27
Evaluation of the Constant Strain Rate Test Method for Testing Stress Corrosion Cracking in Aluminum Alloys	
Henk F. de Jong	32

February

Observation of Hydrogen Trapping in Fe-0.15 Wt% Ti Alloy by High Resolution Autoradiography	
T. Asaoka, G. Papasset, M. Aucouturier, and P. Lacombe	39
Influence of Density and Distribution of Intergranular Sulfides on the Sulfide Stress Cracking Properties of High Strength Steels	
A. Johi	47
Auger Electron Spectroscopic and Electrochemical Analysis of the Effect of Alloying Elements on the Passivation Behavior of Stainless Steels	
Hiroiyuki Ogawa, Hiroyasu Amata, Isao Itho, and Hideya Okada	52
Low Temperature Sensitization of Type 304 Stainless Steel	
M. J. Povich	60
Microstructure and Chemical Composition of Natural Scale Layers	
C. Feigenbaum, L. Gal-or, and J. Yahalom	65
The Structure of Iron-Carboxylic Acid Surface Films	
J. C. Wood	70

March

Editorial: Is Corrosion Science Healthy?	
Harris M. Burte	73
Reference Electrodes for High Temperature Aqueous Systems—A Review and Assessment	

Digby D. MacDonald	75
Effects of Solution Flow on the Anodic Dissolution of Copper and Mild Steel	
J. Postlethwaite, E. Fiadzigbe, and S. Aruliah	85
Stress Corrosion Cracking of Low Strength, Low Alloy Nickel Steels in Sulfide Environments	
A. K. Dunlop	88
Effect of Strain Rate on Stress Corrosion Cracking of Brass	
S. A. Bradford and Teoh Lee	96
Chelate Inhibitors for Zinc and Galvanized Products	
Rodney L. LeRoy	98

April

Editorial: What's In a Name: NACE—The Corrosion Society	
R. W. Staehle	i
Polythioglucolate Passivation of Zinc	
Rodney L. LeRoy	113
Corrosion Fatigue Behavior of a Duplex Aluminum Bronze Alloy	
P. Collins and D. J. Duquette	119
A Model of the Mass Transfer of Corrosion Products in High Temperature High Pressure Water Circuits	
F. D. Nicholson	125
Scale Protection Criteria in Natural Waters	
C. Feigenbaum, L. Gal-or, and J. Yahalom	133
Pitting Resistance of New and Conventional Orthopedic Implant Materials—Effect of Metallurgical Condition	
Barry C. Syrett and Sharon S. Wing	138

May

Caustic Cracking of Steam Generator Tube Materials	
R. S. Pathania	149
Corrosion and Electrochemical Behavior of Boron/Aluminum Composites	
S. L. Pohlman	156
Reactivity of Carbon Tetrachloride with a Series of Metals	
W. L. Archer and M. K. Harter	159
Constant Strain Rate Studies on Shot Peened Type 304 Stainless Steel in High Temperature Aqueous Environments	
M. J. Povich	162
The Properties of Films Formed on Iron Exposed to Inhibitive Solutions	
J. B. Lumsden and Z. Szklarska-Smialowska	169
Ellipsometric Study of Surface Films Grown on Austenitic Stainless Steel in Chloride Solutions	

Z. Szklarska-Smialowska and N. Lukomski	177
---	-----

June

Editorial: \$70 Billion Plus or Minus \$21 Billion	
R. W. Staehle	i
Continuous Cooling Sensitization of Type 304 Stainless Steel	
H. D. Solomon	183
Evaluation of Sulfide SCC Resistance of High Strength Steels by the Constant-Strain-Rate Method	
F. F. Lyle, Jr. and E. B. Norris	193
Caustic Stress Corrosion Cracking Studies at 288 C (550 F) Using the Straining Electrode Technique—Comparison of Alloy 600, Alloy 800, and Type 304 Stainless Steel	
J. R. Cels	198
Evaluation of Liquid-Metal-Embrittlement by the Quasistatic Crack Propagation Technique	
Y. W. Mai	209
Comparison of Potentiodynamically Determined Pitting Rates with Actual Pitting Rates for Mild Steel and Admiralty Brass in Oxygen Bearing Waters	
W. S. Tait	214

July

Guest Editorial: The Time of Trial and Corrosion Science	
John O'M. Bockris	i
Professor Carl Wagner—In Memorial	
Robert A. Rapp	219
Stress Corrosion Cracking and Corrosion Fatigue of Some Surgical Implant Materials in a Physiological Saline Environment	
Robin L. Jones, Sharon S. Wing, and Barry C. Syrett	226
Radioactive Contamination Under Applied Potentials in High Temperature Water	
D. H. Lister and R. S. Pathania	236
Effects of Corrosion on the Wear Patterns in Horizontal Slurry Pipelines	
J. Postlethwaite, B. J. Brady, M. W. Hawrylak, and E. B. Tinker	245
Technical Note: A Sea Water Deaeration Procedure for Conducting Electrochemical Experiments	
K. D. Eifird and V. M. Putnam	250
Discussion: Stress Corrosion Crack Growth Rates of Brass and Austenitic Stainless Steel at Low Stress Intensity Factors	
H. R. Kemp	251

August

Guest Editorial: The Maturing of High	
---------------------------------------	--

Temperature Corrosion Research

- Robert A. Rapp i
- Stress Corrosion Cracking of C-Mn Steel in Phosphate Solutions
- R. N. Parkins, N. J. H. Holroyd, and R. R. Fessler 253
- A Laser Interferometric Study of Corrosion of Coated and Uncoated Metals 1.—Technique Standardization with the Zn/ZnSO₄/Zn System
- R. N. O'Brien and H. Kolny 262
- Low Temperature Sensitization of Welded Type 304 Stainless Steel
- M. J. Povich and P. Rao 269
- Effects of Stress Intensity Rate K and Stress Ratio R on Corrosion Fatigue Crack Growth Enhancement Below K_{ISCC}
- Tetsuo Shoji, Shigeki Aiyama, Hideaki Takahashi, and Masahiko Suzuki 276
- A Contribution to the Mechanism of Hydrogen Entry Into Steels in Acid Environments
- Bruce D. Craig 282
- Technical Note: The Use of Free-Corrosion Potential-Time Transients to Distinguish Between Pitting and Crevice Corrosion After Potentiostatic Tests
- Andrew Garner 285

September

- Guest Editorial: Corrosion and Nuclear Energy—When Will the Next Shoe Drop?
- S. H. Bush i
- The Corrosion of Copper-Nickel Alloys 706 and 715 in Flowing Sea Water. I—Effect of Oxygen
- D. D. Macdonald, B. C. Syrett, and S. S. Wing 289
- The Behavior of the Ferric Ion During Chemical Cleaning
- J. P. Engle 301
- Hydrogen Embrittlement and Hydrogen-Dislocation Interactions
- R. B. Heady 303
- Slow Crack Growth in a High Strength Steel Exposed to H₂-H₂S Gaseous Mixtures
- G. E. Kerns and R. W. Staehle 306
- Stress Corrosion Studies on Some Stainless Steels in Elevated Temperature Aqueous Environments
- I. L. W. Wilson, F. W. Pement, and R. G. Aspden 311
- The Influence of Cathodic Polarization Upon Fatigue of Notched Structural Steel in Sea Water
- William C. Hooper and William H. Hartt 320

October

- Guest Editorial: Corrosion—Science and Magic
- Morris Cohen i
- Stress Corrosion Cracking and Corrosion Fatigue in Cr-Mo Low Alloy Steel
- Shigeki Aiyama, Tetsuo Shoji, Hideaki Takahashi, and Masahiko Suzuki 325
- Surface Characterization of Atmospherically Corroded and Blast Cleaned Steel
- C. Calabrese and J. R. Allen 331
- Critical Cooling Rate of 18Cr-8Ni Stainless Steel for Sensitization and Subsequent Intergranular Stress Corrosion Cracking in High Temperature Water
- Mamoru Hishida and Hiroshi Nakada 338
- The Kinetics of the Atmospheric Corrosion of Aluminized Steel
- R. A. Legault and V. P. Pearson 344
- SCC Susceptibility of High Strength Steels in Liquid Ammonia at Low Temperatures
- F. F. Lyle, Jr. and R. T. Hill 349
- A Laser Interferometric Study of Corrosion of Coated and Uncoated Metals. II—Corrosion of Armco Iron with a Porous Epoxy Primer
- R. N. O'Brien and H. Kolny 354
- Reflectance Infrared Study of the Oxidation of Stainless Steels and Component Metals
- F. P. Mertens 359
- Discussion: Stress Corrosion Cracking of Low Strength, Low Alloy Nickel Steels in Sulfide Environments
- H. H. Uhlig 364
- Discussion: Rust Prevention Control by Changing Sulfide Type
- D. Twigg and R. H. Bingham 365
- Technical Note: Intergranular Corrosion Fatigue Crack Growth of Sensitized Type 304 Stainless Steel in Oxygenated Pure Water at 85°C
- T. Shoji, T. Ise, H. Takahashi, and M. Suzuki 366

November

- Guest Editorial: Support of Science
- Norman Hackerman i
- Stress Corrosion Cracking of Steam Generator Tube Materials in Sodium Hydroxide Solutions
- R. S. Pathania and J. A. Chitty 369
- An Electrochemical Investigation of Fretting Corrosion of Surgical Implant Materials
- Barry C. Syrett and Sharon S. Wing 379

Flaw Growth in High Strength Al-Zn-Mg-Cu Alloys Exposed to Stress Corrosion Environments

- R. C. Dorward and K. R. Hasse 386
- "Horse Shoe" Corrosion of Copper Alloys in Flowing Sea Water: Mechanism, and Possibility of Cathodic Protection of Condenser Tubes in Power Stations
- G. Bianchi, G. Fiori, P. Longhi, and F. Mazza 396
- Contribution to the Interpretation of Current Maxima in the Passivity Range of Austenitic Stainless Steels
- A. Cigada, G. RE, D. Sinigaglia, and F. Borile 407

December

- Guest Editorial: March of Corrosion Science Towards Scientific Control of Corrosion Processes
- K. S. Rajagopalan i
- Stress Corrosion Cracking and Anodic Behavior of AISI 304 Stainless Steel, Inconel 600, and Incoloy 800 Straining in Boiling NaOH Solutions
- Y. S. Park, J. R. Galvele, A. K. Agrawal, and R. W. Staehle 413
- A Short Duration Test Method for Prediction of Crevice Corrosion Rates on Stainless Steels
- John M. Drugli and Einar Bardal 419
- The Adsorption of Benzotriazole Onto Cuprous Oxide Surface: An Electrode Impedance Study
- G. Lewis 424
- Effect of Alternating Current on Corrosion of Low Alloy and Carbon Steels
- D. A. Jones 428
- Atmospheric Corrosion in Marine Environments
- R. A. Legault and V. P. Pearson 433
- The Relationship Between Repassivation Behavior and Pitting Corrosion for Ti and Ti6Al4V
- H. J. Raetzner-Scheibe 437
- Technical Note: Accelerated Hydrogen Charging of Nickel and Cobalt Base Alloys
- Russell D. Kane 442
- Technical Note: The Effect of Alloying on the Passivation of Iron-Chromium-Based Alloys
- G. P. Chernova, N. D. Tomashov, and L. A. Chigirinskaja 445

Alphabetical Author Index

Corrosion, Vol. 34, 1978

A
Agrawal, A. K. Dec, 413
Aiyama, S. Aug, 276
Aiyama, S. Oct, 325
Allen, J. R. Oct, 331
Ambrose, J. R. Jan, 27
Archer, W. L. May, 159
Aruliah, S. Mar, 85
Asaoka, T. Feb, 39
Aspden, R. G. Sep, 311
Aucouturier, M. Feb, 39

B
Bardal, E. Dec, 419
Bianchi, G. Nov, 396
Bingham, R. H. Oct, 365
Borile, F. Nov, 407
Bradford, S. A. Mar, 96
Brady, B. J. Jul, 245

C
Calabrese, C. Oct, 331
Cels, J. R. Jun, 198
Chernova, G. P. Dec, 445
Chigirinskaja, L. A. Dec, 445
Chitty, J. A. Nov, 369
Cigada, A. Nov, 407
Collins, P. Apr, 119
Craig, B. D. Aug, 282

D
de Jong, H. F. Jan, 32
Dorward, R. C. Nov, 386
Drugli, J. M. Dec, 419
Dunlop, A. K. Mar, 88
Duquette, D. J. Apr, 119

E
Efird, K. D. Jul, 250
Engle, J. P. Sep, 301

F
Feigenbaum, C. Feb, 65
Feigenbaum, C. Apr, 133
Fessler, R. R. Aug, 253
Fiadzigbe, E. Mar, 85
Fiori, G. Nov, 396

G
Gal-or, L. Feb, 65
Gal-or, L. Apr, 133
Galvele, J. R. Dec, 413
Garner, A. Aug, 285

H
Harris, J. A. Jan, 23
Harter, M. K. May, 159
Hartt, W. H. Sep, 320
Hasse, K. R. Nov, 386
Hawrylak, M. W. Jul, 245
Heady, R. B. Sep, 303
Hill, R. T. Oct, 349
Hishida, M. Oct, 338

Holloway, P. H. Jan, 7
Holroyd, N. J. Aug, 253
Hooper, W. C. Sep, 320

I
Indig, M. E. Jan, 3
Ise, T. Oct, 366
Itoh, I. Feb, 52

J
Jones, D. A. Dec, 428
Jones, R. L. Jul, 226
Joshi, A. Feb, 47

K
Kane, R. D. Dec, 442
Kerns, G. E. Sep, 306
Kolny, H. Aug, 262
Kolny, H. Oct, 354

L
Lacombe, P. Feb, 39
Lapasset, G. Feb, 39
Lee, T. Mar, 96
Legault, R. A. Oct, 344
Legault, R. A. Dec, 433
LeRoy, R. L. Mar, 98
LeRoy, R. L. Apr, 113
Lewis, G. Dec, 424
Lister, D. H. Jul, 236
Longhi, P. Nov, 396
Lukowski, N. May, 177
Lumsden, J. B. May, 169
Lyle, F. F. Jr. Jun, 193
Lyle, F. F., Jr. Oct, 349

M
MacDonald, D. D. Mar, 75
MacDonald, D. D. Sep, 289
Magnani, N. J. Jan, 7
Mai, Y. W. Jun, 209
Mazza, F. Nov, 396
Mertens, F. P. Oct, 359
Miller, A. D. Jan, 3

N
Nakada, H. Oct, 338
Nicholson, F. D. Apr, 125
Nordin, S. Jan, 16
Norris, E. B. Jun, 193

O
O'Brien, R. N. Aug, 262
O'Brien, R. N. Oct, 354
Ogawa, H. Feb, 52
Okada, H. Feb, 52
Omata, H. Feb, 52

P
Park, Y. S. Dec, 413
Parkins, R. N. Aug, 253
Pathania, R. S. May, 149
Pathania, R. S. Jul, 236

Pathania, R. S. Nov, 369
Pearson, V. P. Oct, 344
Pearson, V. P. Dec, 433
Pement, F. W. Sep, 311
Pohlman, S. L. May, 156
Postlethwaite, J. Mar, 85
Postlethwaite, J. Jul, 245
Povich, M. J. Feb, 60
Povich, M. J. May, 162
Povich, M. J. Aug, 269
Putnam, V. M. Jul, 251

R
Raetz-Scheibe, H. J. Dec, 437
Rao, P. Aug, 269
Rapp, R. A. Jul, 219
RE, G. Nov, 407

S
Shoji, T. Aug, 276
Shoji, T. Oct, 325
Shoji, T. Oct, 366
Sinigaglia, D. Nov, 407
Solomon, H. D. Jun, 183
Staehle, R. W. Sep, 306
Staehle, R. W. Dec, 413
Suzuki, M. Aug, 276
Suzuki, M. Oct, 325
Suzuki, M. Oct, 366
Sydberger, T. Jan, 16
Syrett, B. C. Apr, 138
Syrett, B. C. Jul, 226
Syrett, B. C. Sep, 289
Syrett, B. C. Nov, 379
Szkliarska-Smialowska, Z. May, 169

T
Tait, W. S. Jun, 214
Takahashi, H. Aug, 276
Takahashi, H. Oct, 325
Takahashi, H. Oct, 366
Tinker, E. B. Jul, 245
Tomashov, N. D. Dec, 445
Twigg, D. Oct, 365

U
Uhlig, H. H. Oct, 364

W
Weber, J. E. Jan, 3
Wenschhof, D. E. Jan, 23
Wilson, I. L. Sep, 311
Wing, S. S. Apr, 138
Wing, S. S. Jul, 226
Wing, S. S. Sep, 289
Wing, S. S. Nov, 379
Wood, J. C. Feb, 70

Y
Yahalom, J. Feb, 65
Yahalom, J. Apr, 133

Alphabetical Subject Index

Corrosion, Vol. 34, 1978

A

Abrasives: Al, iron, Si oxide for C. steel surface prep., 331
Abrasives: 20% silica sand-water vs pipeline, 245

ACIDS

carboxylic, films on iron, 70
chromic: 10% vs Mn sulfide inclusions in C. steel, 365
citric: epoxy coatings on Fe vs, 354
phosphoric: wet process vs 316, 317, 20Cr24NiMoCu at 40 C, 17

Adhesion: coatings to galvanizing, 118
AC stray currents, 429

ALUMINUM AND ALLOYS

7049, 50, 75 flaw growth during stress corrosion, 386
+ Bo fibers, galvanic reactions, 156
coatings on steel, 5 yr atmos. tests, 344
hydroxide + C tetrachloride vs Al, Cu, Fe, Mg, Zn, 160

Ammonia: -40 C vapor vs hi str. steels, effects of water vs SCC, 349

Ammonia: steels, C, hi str. vs 0 C, infl of water vs SCC, 349

Anodic potentials, infl on Al bronze fatigue in NaCl, 121

ATMOSPHERIC EFFECTS

aluminum coatings on steel, vs industrial, rural, sea, marine, up to 5 yr, 344
sea marine vs stressed AlZnMgCu alloys, 386
industrial vs abrasive blasted C. steel, 331
industrial: steel C vs, 433
marine vs low alloy steels, 433

Atomic effects: C. tetrachloride-ammonium hydroxide vs metals, 161

Atomic effects: dislocations due to hydrogen, 303

Atomic effects: slip band in Al bronze fatigue cracking, 124

AUTOMOBILES

Al use in, 1
graphite-epoxy use in, 1
Mg use in, 1
Zn use in, 1

B

Biological effects: metal prosthetic materials, SCC and fatigue, 226

Biographical: Wagner, Carl, 219

Boilers: see heat exchangers

Boron: fiber-Al composite, galvanic reactions in NaCl, 156

Brass: see copper and alloys

C

CALCULATIONS

Activation coefficient, of affinity for radioactivity, 242

Al coatings on steel, life prediction, in atmos., 344

C. steel cracking in phosphates, predictive of SCC, 260

continuous cooling sensitization and isothermal results predictions compared, 188

crevice attack, short and long term data compared, 419

deposition constants in mass transfer, 127

edge dislocation energy reduction due to hydrogen, 303

marine atmos vs low alloy steel, attack prediction, 433

minimum current density error in laser interferometry, 268

straining electrode-constant load data correlation vs SCC, 413

Carbon tetrachloride: 200 C vs 16 metals, 159

Carbon tetrachloride: + Al hydroxide vs Al, Cu, Fe, Mg, Zn, 160

Carburization: Ni alloys vs 927 C methane + hydrogen, 23

Cathodic potentials, infl on Al bronze fatigue in NaCl, 121

CATHODIC PROTECTION

3.5 Ni steels stressed in hydrogen sulfide sol., 94

1018 notched steel, effects on fatigue cracking in sea water, 320

copper alloy sea water electricity generating stations, 396

potentials inside Cu tube, infl oxygen, velocity of sea water, 396

Chelants: properties as Zn inhibitors vs atmos attack, 99, 113

CHLORIDES

Al SCC strain rate tests, infl of, 35

Cr, Mo, and Ni infl on steel passivation in, 59

metal, standard thermodynamic quantities at 25 C, 397

Tyrod's solution, CrNi, Mo TRIP, CoCr alloys' fretting in, 379

Chlorine: surface films on C. steel containing, 331

Chromium: infrared spectra of oxide films on, 359

CHROMIUM-NICKEL ALLOYS

AECL spec. 32.5-35 Ni and 21-23 Cr vs 1-50% NaOH-water sol., 300 C, 371

Incoloy 800 vs 1-50% NaOH-water sol., 300 C, 371

Incoloy, Inconel vs NaOH, 413

Inconel 600 vs 1-50% NaOH-water sol., 300 C, 371

Sanicro 30 vs 1-50% NaOH-water sol., 300 C, 371

steam generator tubing cracking, 149

Cleaning: chemical, metal surface, infl of Fe ion, 301

COATINGS

metal: Al on steel, 5 yr atmospheric test results, 344

metal: Al, Zn on steel, predicting atmos. attack, 433

organic: epoxy, laser interferometric characterization, 262, 354

organic: zinc and galvanizing, adhesion tests, 118

primers: interferometric tests, 262

COBALT AND ALLOYS

CoCrMoNi stressed vs hydrogen, 443

prostheses' pitting, 138

Vitallium, strain rate tests, 226

Cold work: sensitization of CrNi, infl of, 64

Concentration cells: oxygen, attack on Cu in sea water, 396

Condensation: atmos. on C. steel, effect on blast cleaned surfaces, 331

Conductivity: water in BWR, 3

COPPER AND ALLOYS

38Zn60Cu vs mercurous nitrate, effect of strain rate, 96

400 Monel vs 1-50% NaOH-water, 300 C, 371

706, 715 vs flowing sea water, 289

CDA 958, ABS4 Al bronze fatigue vs NaCl sol., 119

Admiralty brass (CDA 443-445) vs oxygenated water, 214

alpha brass embritt. by Hg, 213

Al-brass condenser tubes vs sea water, 396

brass in boiling Mg chloride: discussion, 251

oxide adsorption of benzotriazole, 424

Corrosion control, long term possibilities, i-iii

CRACKS AND CRACKING

See stress corrosion cracking also

AISI 4335 V steel in hydrogen-hydrogen sulfide, 306

AlZnMgCu in NaCl exposures, 386

electrode potential relationships with, 413

fatigue of Al bronze in NaCl, 122

"": steel C. 1018, cathodic protection vs, 320

hydrogen, infl of sulfide inclusions in steel, 282

intergranular: grain boundary sulfides infl on hi str. steel, 47

intergranular, Fe-Ti alloys by hydrogen, 40

NiCr alloys, CrNi steels stressed in 280 C NaOH solutions, 198
 quasistatic crack propagation theory, 209
 shot peening effects on 304 stress, 162
 velocities of brass, 304 in boiling Mg chloride, 251

Crevice: see localized attack

D-E

Deaeration: sea water for electrochemical tests, 250
 EB26-1, 311
 Economics: energy decisions vs time, (July), i
 Economics: U.S. corrosion costs, (1978, June), i
 Electrical effects: stray currents, AC + DC vs C. steel in NaCl sol., 429
 Environmental effects: mass transfer in 270 C hi purity water, 125
 Environmental effects: release rates in 270 C hi purity water, 130
 Erosion-corrosion: slurry pipeline, 245

F

Fabrication: welding, 3.5 Ni steels effect on sulfide cracking, 92
 Fabrication: welding, 304, sensitization at 300-400 C, 269

FATIGUE

Al bronze vs air, 0.5N NaCl, 119
 cyclic frequency infl on Al bronze vs NaCl, 119
 cracking 4145, stress intensity and ratio infl, 281
 cracking: 4145 steel in sulfuric acid sol., 1230 MN/sq meter, 325
 steels, CrNi, Co-base alloys prosthetics' tests, 226

Ferric chloride: Al, Cr, Cu, Fe, and Ni vs, 301

FILMS AND SCALES

5 and 35% Mg chloride, HCl, sulfuric acid on 304, ellipsometry, 177
 CuNi in sea water, 289
 crevice in Fe-Mo vs chlorides, 30
 halide-metal properties, 160
 inhibitor on iron, 169
 iron-carboxylic acid properties, 70
 oxide: Co-60 contamination of, 236
 oxides: iron, cleaning, 301
 oxide on iron, 175
 passive on Cu in sea water, 396
 reflectance infrared analysis of 400-850 C on Cr, Fe, Ni, Mo, 359
 steel, C, on abrasive blasted, 331
 SCC influenced by, 177

Flaws: Al Zn Mg Cu alloys, growth during stress corrosion, 386
 Fluorine vs CrNi steels in 40 C phos. acid, 17

G

Galvanic effects: automobiles, 1
 Galvanic effects: Bo-Al composite in NaCl, 156
 Galvanizing: see coatings, metal
 Gas, fuel: hot, hydrogen sulfide, C. dioxide natural environment, 196
 Gas: S dioxide, carboxylic acid inhibitors for Fe vs, 70
 Grain effects: carbide nucleation by brief heating, 61
 Grain effects: sensitization of welded 304, prerequisite of carbides for low temp., 273

H

Hardness: steel vs air, sulfuric acid, hydrogen sulfide, constant strain tests, 195
 Halogens: vs metals, reaction mechanisms, 162
 Hastelloy C-276, 443
 Hastelloy G, 443
 Heat exchangers: sea water condensers vs Cu, infl of velocity, films, turbulence, 396
 Heat exchangers: steam generator tube cracking, 149

HEAT TREATMENT

18Cr8Ni vs 285 C hi purity water, infl on SCC, 338
 304 continuous cooling sensitization, 183
 Cr and CuNi alloys vs 300 C, 1-50% NaOH-water sol., 369
 Cr, CrNi steels vs 316-332 C hi purity water, 1.73 MPa, infl on SCC, 311
 CrNi, Ni and NiCu alloys vs 300 C NaOH in steam, 139
 NiCr alloys: effect on stressed in 280 C, 10% NaOH, 203
 NiCr, CoCrMoNi, CuMn vs hydrogen sulfide, effect of, 443
 sensitization of 304, infl of multiple thermal cycles, 190
 "Horse shoe" attack on Cu alloys in sea water, 396

HYDROGEN

cracking of AISI 4145 in acid, sol., 325
 embrittlement, effect on dislocations, 303
 hazard in CP of Cu condenser tubes in sea water, 396
 iron-0.15 w/o Ti, trapping in, 39
 + hydrogen sulfide vs AISI 4335 V, hi str. steel, 306
 + methane 927 C vs Inconels, 23
 NiCr, CoCrMoNi, CrMn steel accelerated charging of stressed, 442
 outgassing of trapped, 43
 pressure at grain boundaries, 45
 steel permeation, effect of sulfide inclusions, 282
 sulfide: A517-F, 4130, 4340 stressed in, SCC effects, 193
 "": NiCr, CoCr, MoNi, CuMn steel stressed vs, 442
 "": steel, C, low alloy Ni, SCC in, 364
 "": steels, hi strength, cracking in, 47
 "": SCC of low alloy 3.5 Ni steels, tests, 88

I-J

Inclusions: Mn sulfide, 10% chromic acid vs steel, 365
 Incolloys 800, 802; 23, 369, 413
 Inconels 600, 601; 23, 150, 369, 413
 Inconel 625; 443
 Inconel 706, 443

INHIBITORS

arsenate, chromate, molybdate, nitrite, phosphate, tungstate films on iron, 169
 arsenate films on Fe, 169
 basic, polyhydroxylbenzene,azole tables of structures and properties, 98
 benzoic acid films on Fe vs S dioxide, 70
 carboxylic acids mechanisms, 70
 chelants: Zn in atmos., effects of, 98
 chromate films on Fe, 169
 dithioglycolate for zinc, 116
 electrode impedance study of adsorption, 424
 methanol vs SCC of 3.5 Ni steels in hydrogen sulfide, 89
 molybdate films on Fe, 169
 Mo as alloy in Fe vs chloride crevice attack, 27
 morpholine vs SCC of 3.5 Ni steels in hydrogen sulfide, 89
 nitrite films on Fe, 169
 phosphate films on Fe, 174
 polythioglycolate for zinc, 113
 tungstate films on Fe, 169
 water in ammonia at 0 C vs hi str. C. steel, infl on SCC, 349

IRON AND ALLOYS

99.99%, inhibitor films on, 169
 + 0.6 w/o Mo vs crevice attack in chlorides, 27
 hydrogen trapping, 39
 infrared spectra of oxide films on, 359
 iron salts infl in chemical cleaning, 301

Joints: Cr and CuNi tubing vs 300 C, 1-50% NaOH-water, 371

L

Lead: Cr, CrNi steels vs 332 C hi purity water containing, 311

LOCALIZED ATTACK

crevice, 0.6 w/o Mo Fe in chlorides, 27
 crevice: Cr and CrNi steels, short test, 419
 crevices in TRIP steels, 143
 fretting: 316L, cast CoNiCr, 3 Mo TRIP CW, others vs Tyrode's sol., 381
 pitting: brass, 1018 steel, test vs actual rates in oxygenated water, 214
 "": Cr, CrMo, CrNi steels, infl of alloying, 57
 "": cracking, infl on, 181
 "": discrimination from crevice, 285
 "": morphology of attack on Cu alloys in sea water condensers, 396
 "": orthopedic alloys, 138
 "": Ti repassivation vs, 437

M

Manganese: fracture surface concentrations on steel, 51
Manganese inclusions affecting hydrogen attack on steel, 284
Mass transfer: hi temp water circuits, 125, 244
Materials composite: Bo-Al vs 3.5% NaCl, 156
Materials, nonmetals: deterioration economics, (1978, June), i
Materials, polymeric: PVC, Lucite erosion-corrosion in slurry pipeline, 248
Mattson's solution vs brass, 96
Mercurous nitrate vs 38 Zn 60 Cu, effect of strain rate, 96
Mercury: CrNi, Cr steels vs 332 C hi purity water containing, 311
Mercury embrittlement of brass, cast iron, zinc, 209

METALLURGICAL EFFECTS

alloying: C. in 18Cr8Ni, infl vs SCC in 285 C hi purity water, 338
": Cr6Ni2Mn3, Mo 0.85 Fe 25 + or - Pd vs acids, 445
": Cr and Mo effects on steel passivation, 57
": cracking of CrNi in caustic, infl. of, 413
": Mo vs crevice attack on Fe by chlorides, 27
": steel, low alloy vs marine atmos., 433
cold work: C. steel vs phosphates, effect on SCC, 253
cold work: prosthetic alloys' effects, 144
cracking: 3.5 steels, morphology of sulfide, 89
grain boundary reactions with hydrogen, 41
grain size of Al bronze affectin fatigue cracking in NaCl, 119
inclusions: sulfide in steel, infl on hydrogen attack, 282
sensitization: 304 welded at 300-400 C, 269

Metal, liquid, embrittlement: cast iron, brass, Zn alloy, crack propagation, 209
Methane + hydrogen 927 C vs Inconels, 23
Mohr's salt vs epoxy coatings on Fe, 354

MOLYBDENUM

O-6 w/o iron alloys vs crevice attack in chlorides, 27
Cr, Ni Mn, Fe steels', effect vs pitting in acids, 445
infrared spectra of oxide films on, 359
TRIP steels, as alloy in, 140

Monel 400, 150
MP35N, 443

N-O

NICKEL-CHROMIUM ALLOYS

600, 601, 800, 802 vs 927 C methane + hydrogen, up to 500 hr, 23
Incoloy 800 vs 288 C 10% NaOH, 198
Inconel 600 vs 288 C 10% NaOH, 198
infrared spectra of oxide films on, 359

NiCu alloys: Monel 400, caustic cracking in steam, 149

Nuclear reactors: boiling water, monitoring system, 3
Oxidation: potential surveillance in BWR, 3
Oxidation: Ti infl on pitting, 437
Oxidation: U + 4.5 Nb in 0-200 C, oxygen, water, 7
Oxides: metal, standard thermodynamic quantities at 25 C, 397
Oxygen: 706, 715 CuNi, infl in sea water vs, 289
Oxygen: AC + DC vs steel, effect of, 429

P-R

Particulate size effect on slurry pipeline wear, 249
Passivation: iron-Mo alloys vs chlorides, 30
Passivation: steels Cr, CrMo, and CrNi, 59
Passivation: Ti vs pitting, 437
Passivity: 304 in 2N sulfuric acid, current density maxima, 407
Passivity: oxide films on Fe producing, 169
Passivity: pitting of Cu alloys in sea water, effect of, 396
pH: strain rate tests of Al, infl of, 34
pH: SCC of steel, low alloy Ni in hydrogen sulfide, infl of, 364
Pipelines: slurry, wear pattern effects, 245
Polarization: anodic, cathodic curves to predict crevice attack, 419
Polarization, cathodic: 3.5Ni steels stressed in hydrogen sulfide, effect of, 93
Polarization: Co-60 contamination of steels, effect of, 244
Potassium: fracture surface concentrations on steel, 51
Potentials: CrNi alloys in boiling caustic related to cracking, 413
Pressure: 0.001 atmos. (0.0147 psi) hydrogen sulfide vs 3.5 Ni steels, 92
Pressure: 17.2 MPa (2500 psi), 316-332 C hi purity water vs Cr, CrNi steels, 311
Pressure: 147 kpsi (1013.56 MPa) hydrogen at grain boundaries, 45
Prostheses: CrNi steels, Co-base alloys' pitting, 138
Radiation, nuclear: steel, C. and 304 in 300 C water, 236
Research: high temperature progress, (1978, August), i
Research: need for corrosion, 73
Resistivity: flow rate effects on electrolyte, 85

S

Sanicro 30; 150, 371
Scale, dielectric properties of water, 133
Scales, waters, natural, properties of, 65
Sensitization, 18Cr8Ni, infl of cooling rate on, 338
Sensitization, 304 at low temp, 60
Slurry pipeline wear, 245

SODIUM

citrate: epoxy coatings on Fe vs, 354
chloride: 0.5N fatigue tests of Al bronze, 119

chloride, 3.5% vs Bo-Al composite, 156
chloride: sea marine, synthetic vs AlZnMgCu in stress corrosion, 386
hydroxide: 1-50% vs CrNi, CuNi alloys, 300 C, 371
": 10% vs NiCr alloys, CrNi steels at 280 C, 198
": 10%, 332 C vs Cr, CrNi steels, 311
": 50%, 316 C vs Cr, CrNi steels, 311
": CrNi alloys vs 17.5, 20N, 413
": 300 C solutions vs CrNi, NiCu alloys, 149
molybdate vs pitting of iron, 30
phosphates: C. steel + Mn cracking in, 253

STEEL, CARBON

1018 pitting in water, test vs actual rates, 214
4145 CrMo low alloy, fatigue cracking in acid sol., 276, 325
abrasive blasting, effects of prior exposure, 331
AC + DC vs, 429
fatigue cracking in sea water, effects of cathodic protection, 320
+ Mn, cracking by phosphates, 253
Mn sulfide inclusions vs 10% chromic acid, 365
radioactive contam. in 300 C water, 236

STEELS, CHROMIUM

405, 410, 18Cr2MoTi, EB26-1, 3RE60 vs 1.72 MPa, 316-332 C hi purity water, 311
410, infrared spectra of films on, 359
410 oxidation at 400-850 C, reflectance infrared film analysis, 359
Cr6 Ni2 Mn3 Mo0.85 Fe25 vs acids, 445
15-25Cr-3Mo passivation tests, 53
18Cr short time crevice test, 419
19-25Cr passivation tests, 52
hi strength, infl of grain boundary sulfides on SCC, 47
hydrogen vs stressed, 443

STEELS, CHROMIUM-NICKEL

304 continuous cooling sensitization, 183
": infrared spectra of oxide films on, 359
": IGSCC screening test of sensitized in 85 C hi purity water, 366
": Mg chloride, HCl and sulfuric acid, properties of films vs, 177
": boiling Mg chloride vs: discussion, 251
": + 316 oxidation at 400-850 C, reflectance infrared analysis of films on, 359
": 316 passivation tests, 53
": radioactive contam. in 300 C water, 236
": 288 C 10% NaOH vs, 198
": 20N sodium hydroxide, 413
": 289 C hi purity water vs, 162
": 316-332 C, 1.72 MPa hi purity water vs, 311
": passivation, current density maxima in acid, 407
": sensitization at low temperature, 60
": welded, sensitization at 300-400 C, 269
316, infrared spectra of oxide films on, 359
316L fretting in Tyrode's solution, 381
317L vs phos. acid + fluorine, 17
316L prosthetics, SCC and fatigue, 226
12Cr-7 to 8 Ni-3 to 5 Mo, 316L prostheses pitting, 138

18Cr8Ni vs 285 C hi purity water, effects of heat treat., carbon content on SCC, 338
 20Cr24Ni + Mo, Cu vs phos. acid + fluorine, 40 C, 17
 3Mo TRIP-19% CW, 4 Mo TRIP No 2-0 CW vs Tyrode's sol., 379
 TRIP steels, SCC in physiological saline sol., 226

Steels, duplex: 3RE60, 311

STEEL, HIGH STRENGTH

A 320 L, 4142 vs 0 C ammonia + air, infl of water vs SCC, 349
 A517-F, 4130, 4340 vs 24-121 C natural gas + hydrogen sulfide, C. dioxide, 195
 AISI 4335 V, cracking in hydrogen-hydrogen sulfide, 306
 hydrogen embrittlement mechanism, 303

STEEL, LOW ALLOY

marine atmos. vs, 433
 3.5 Ni, ASTM A203-E SCC tests in sulfides, 88
 Ni low alloy; SCC in hydrogen sulfide, 364

Strain rate vs 38Zn 60 Cu in mercurous nitrate, 96
 Stray currents: DC + AC vs C. steels in NaCl sol., 429
 Stress corrosion: AlZnMgCu alloys, growth of flaws during, 386

STRESS CORROSION CRACKING

Al, strain rate tests, 32
 304 in 85 C hi purity water + oxygen, screening test, 366
 304 by 289 C hi purity water, 162
 304 welded; low temp. sensitization contributing to, 279
 405, 410, 18Cr2MoTi, EB26-1, 3RE60, 304 in 332 C, 2500 psi (17.2 MPa) hi purity water, 311
 4145 steel vs 1230 MN/sq meter, sulfuric acid sol., 325
 18Cr8Ni steels in 285 C, hi purity water, effects of heat treat., carbon content, 338
 38Zn60Cu forging vs mercurous nitrate, 96
 chloride films' infl on 304, 177
 Inconel 600, Sanicro 30, Monel 400 steam generator tubing, 149
 Inconel, Incoloy, 304 vs deaerated 10% NaOH, 288 C, 198
 metal prosthetics vs physiological saline sol., 226
 Monel 400 in 1 to 50% NaOH-water sol., 300 C, 371
 A517-F, 4130, 4340 steels in hydrogen sulfide, 193
 steel A320L7 hi str., AISI 4142 hi str. in 0 C ammonia + air, 349
 ", carbon + Mn by phosphates, 253
 ", 3.5 Ni, ASTM A203-E vs sulfides, 88
 ", low alloy Ni vs hydrogen sulfide, 364
 sulfides in grain boundaries infl on hi str. steels, 47
 U + 4.5 N, in oxygen, water, 0-200 C, 7
 X-90, 125, 140; P 110, 150 steels in hydrogen sulfide, 48

STRESS

Cr and CrNi, cracking in NaOH, 369
 cyclic frequency affecting SCC of 4145 steel, 325
 tensile, 38Zn60Cu, tests in mercurous nitrate, 96
 CrNi, Ni and NiCu alloys, effect on caustic cracking, 139
 constant strain vs 304 steel in 289 C hi purity water, 162
 constant strain tests of hi str. steel in hydrogen sulfide, 193
 straining electrode tests in hi temp. 10% NaOH, 198
 surgical implant metals vs, 226
 fatigue cracking, effects of intensity rate and ratio, 276

Sulfides: ferric ion controls during cleaning, effects of, 301

Sulfides: grain boundary distribution infl on stress cracking, 47

Sulfur: fracture surface concentration on steel, 49

Sulfur: steel, hi str. cracking in hydrogen sulfide, infl of, 306

Sulfur: surface stains on C. steel containing, 331

SURFACE AND INTERFACE

AC effects on C. steel: depolarization in NaCl sol., 429
 adsorption: benzotriazole on Cu oxide, 424
 adsorption: halide ions on Ti oxide, 437

SURFACE PREPARATION

abrasive blasting, carbon steel, effects of prior exposure, 331
 profiles on abrasive blasted C. steel, 331
 shot peened 304 vs 289 C hi purity water, 162

T

TEMPERATURE

0 C ammonia + air vs hi str. C. steel, infl of water on SCC, 349
 0-200 oxygen water vs U-4.5 Nb, 7
 24-121 C natural gas + C. dioxide, hydrogen sulfide vs hi str. steel, 196
 270 C hi purity water, mass transfer in, 125
 289 C hi purity water vs 304 steel, 162
 300 C hi purity water, radioactive contam. C. and 304 steels in, 236
 300-400 C sensitization of welded 304 steel, 269
 300 C, 1 to 50% NaOH-water vs CrNi alloys, Monel 400, 371
 300 C steam vs CrNi, NiCu alloys, 149
 332 C hi purity water vs Cr, CrNi steels, 2500 psi (17.2 MPa), 311
 400-850 C oxide films on Cr, Cr and CrNi steels, Mo, Ni, 359
 520 C, Bo-Al composites, effects of, 156
 927 C methane + hydrogen vs Inconels, 23
 1000 and 800 C sensitization differences in 304, 189
 films, effect on properties of chloride, acid, 181
 heat flux effects in hot hi purity water, 132
 high: reference electrodes for, 75

high: research progress, (1978, August), i
 pitting rate influence, 217

Tests, accelerated: condensation vs coatings on galvanizing, 118

Tests, accelerated: hydrogen: NiCu, CoCrMoNi stressed vs, 443

Tests, accelerated: inhibitors for Zn wet stain, 113

TEST EQUIPMENT

adsorption electrode impedance circuit, 424
 crevice, short time, 419
 laser interferometric of epoxy coatings on Fe, 354
 mass transfer loop, 126
 reference electrodes for hi temp., 75

TESTS, LABORATORY

AC + DC vs C. and low alloy steels in NaCl sol., 429
 autoclave: 304, welded sensitization, 271
 autoradiography of hydrogen trapping, 39
 constant pull, static load on Ni and CrNi alloys, 200
 constant strain rate for SCC susceptibility, 196
 C-ring, capsules vs 300 C, NaOH, 149
 electrical: AC of water scale properties, 133
 electrochemical: Bo-Al composite, 156
 ": C. steel vs Na phosphates, 253
 ": deaeration of sea water preceding, 250
 ": potential-time transients for pitting, crevice attack discrimination, 285
 ": prosthetic alloys, 138
 environmental: flow rate effects, acid attack on Cu, Fe, 85
 environmental: scales from natural waters, 65
 immersion: long vs short times' effects on prosthetic alloys, 143
 interferometric of coatings on Fe, 354
 IGSCC of 304 in 85 C hi purity water, screening, 366
 laser interferometric of epoxy coatings on Zn, 262
 molecule sorting for chelant characterization, 99
 optical: ellipsometry of chloride films on 304, 177
 passivation of Cr and CrNi steels, 52
 potentiostatic of radioactive contam. of oxide films on steels, 236
 precracked AlZnMgCu stressed in NaCl sol., 386
 quasistatic of liquid metal embrittlement, 209
 sea water vs CuNi, 289
 slow strain rate of prosthetic alloys, 226
 steels CrNi sensitization, 60
 steel, hi str., cracking in hydrogen-hydrogen sulfide, 306
 strain rate for Al SCC, 32
 stress: constant strain vs 304 steel, 162
 stress corrosion cracking: 304 in 20N NaOH, 413
 " " " " 3.5Ni steels in sulfides, 88
 " " " " Inconel 600, Incoloy 800 vs boiling 17.5N NaOH, 413
 " " " " strain rate of Al, 32

TESTS, ON-SITE

Al coatings on steel, 5-yr atmos., 344
AlZnMgCu vs sea marine atm., stress corrosion, 386
atmos., effects of specimen orientation, 344
steel, low alloy vs sea marine littoral, 433
water scale, protective properties, 133

Test techniques: planing corroding surface in electrolyte, 437

Test techniques: straining electrode, 413

TIME

abrasive slurries on pipeline, effect on wear patterns, 245
energy decisions related to, (1978, July), i
passivity, 304 in sulfuric acid, influence of, 407
short crevice test, 419
steel vs marine atmos. effect on predictions, 433
sulfide cracking of 3.5Ni steels, 91

Titanium and alloys, passivation influencing pitting, 437

Transformation Induced Plasticity (TRIP) steels, 138, 226, 379

Turbulence sea water vs Cu condenser tubes, 396

Tyrod's solution, 226

U-V

Uddeholm CrNi steels, 17

Uranium + Nb, SCC in oxygen, water, 7

Vibration: CrNi, Mo TRIP, CoCr alloys' fretting in Tyrod's sol., frequency effect, 379

Velocity: 0-3.7 m/sec sea water vs 706, 715 CuNi, 289

Velocity: slurry pipeline wear, effects of, 249

Vitallium, 138, 226, 381

W-Z

WATER, GENERAL

+ ammonia at 0 C, infl on SCC of hi str. steels, 349

dissolved solids' effects on pitting rates, 217
oxygenated, test vs actual pitting rates in, 214

scale properties, 65, 133

WATER, HIGH PURITY

85 C IGSCC test for sensitized 304 in, 366

270 C mass transfer mechanism, 125

285 C 18Cr8Ni, effects of heat treat., carbon content, 338

289 C vs shot peened 304 steel, 162

+ lead oxide vs Cr, CrNi steels, 332 C, 17.3 MPa, 311

+ mercury vs Cr, CrNi steels, 332 C, 17.3 MPa, 311

oxidation potentials in BWR, 3

oxygen + chlorides vs Cr, CrNi steels, 332 C, 17.3 MPa, 311

radioactive contam. of carbon and 304 steel in, 236

WATER, SEA

706, 715 CuNi vs flowing, 289

deaeration preceding tests, 250

properties influencing corrosivity, 396

steel, C. 1018 fatigue cracking in, infl of cathodic protection, 320

ZINC AND ALLOYS

chelants vs atmos. attack, 98

polythioglycolate passivators of, 113

wet-stain inhibitors, 98

